# CADILLAC STREET PARK USER SURVEY RESULTS

Survey Period: March 16 - 30, 2020



BREC conducted an online public survey from March 16 through March 30, 2020.

The charts that follow show characteristics of users of Cadillac Street Park and will provide BREC staff with valuable information in terms of how the park is currently used.

Of the 88 people who participated in the online survey for Cadillac Street Park, 56 of them were 35 years and older, 31 were between 18-34, 0 were between 12-17, and 1 was under 12 years of age.



How often do you currently visit Cadillac Street Park?



## Please select the age range(s) of the children in your household.



#### How do you get to the park?



#### How far do you travel to get to the park?



#### Proposed amenities that you think should be prioritized:



Drinking Fountain (62)



Integral Playground Shade (45)



Adult Fitness Equipment (43)



Triangular Shade Sails (41)



Shade Trees (41)



Rectangular Shade Sails (39)



Additional Seating (29)



Nature-themed Playground (16)



Inclusive Playground (16)



More Varied Playground Equipment (8)

\*When taking the survey, respondents chose 4 amenities to be prioritized. Values in parentheses indicate the number of times that amenity was selected. Please rate conditions of the current play equipment.



### Sampling of Additional Comments and Suggestions:

- Make sure it's safe for everyone.
- I think Cadillac St. Park deserves improvement; my kids grew up in that park. Basketball, football, camp, etc.
- Something for special needs kids.
- It needs exercise equipment for adults while kids play. More stuff so people can enjoy when they come to the park with kids. Make it a better place for families.
- A stocked fishing pond that is low maintenance and would allow children who otherwise wouldn't have the opportunity to not only learn about fishing but actually participate.
- More police presence.
- A walking trail.
- A better walking trail.
- The gym definitely needs a facelift.
- Parking is entirely too confining and unpaved. It must be expanded, paved, handicapped-accessible, covered in specific areas, and walking trails added. More water features and trees.